




Edition 253, March 2015 | [Self-Sealing Fasteners](#) | [Sealing Boots Division](#)



[Request Boot Samples](#)



[Request Fasteners](#)




[Watch All Videos](#)



DID YOU KNOW?

WHY APM HEXSEAL SEALING BOOTS ARE SO MUCH MORE THAN MEETS THE EYE





On the surface, the HEXSEAL and E-SEAL sealing boots look pretty basic and simple. Look underneath and you'll see there's so much more technology to it than you would first uncover. APM's toggle-actuated style boots (diagram shown above), for

example, are molded from a high tear-strength silicone rubber bonded to a built-in mounting nut. Each encloses the base of the breakers bushing and forms a watertight and dust-tight seal against the front panel surface.

[Download Literature](#)



Toll Free:
800-498-9034

Email:
info@apmhxseal.com

SPECIFICATIONS	
Material	HEXSEALS: Silicone rubber conforms to ZZ-R-765 Class III, GR 50 (unless otherwise specified). E-SEELS: Silicone rubber polymer type ASTM D 1418
Mounting Nut	HEXSEALS: Brass, nickel-plated E-SEELS: Brass, black-oxide
Temperature Range	HEXSEALS: -94°F to +400°F (-70°C to +204°C) E-SEELS: -80°F to +400°F (-62°C to +204°C)
Enclosure Protection	NEMA/UL/ULC Types 1, 2, 3, 3S, 3R, 4, 4X, 6P, 12, 13; IEC IP66/IP68
Pressure Range	Exceeds 15 psi internal and 1500 psi external
Operational Life	100,000 actuations (minimum)
Shelf Life	Excess of 25 years
Resistant to	Salt spray, sunlight, ozone, weather, fungus, and most acids and lubricating oils
Military Specs*	Most HEXSEALS meet MIL-DTL-5423 (see selection charts)
Agency Recognition	UL & ULC Recognized Component to UL Std. 50
Installation	Please see installation instructions on page 14

[Read more.](#)


ASK APM

"WHAT DIFFERENT STYLES OF CIRCUIT BREAKER BOOTS DOES APM HAVE?"

-  Join our mailing list
-  Follow us on Facebook
-  Join our group LinkedIn
-  Follow us on Twitter



RoHS
Compliant
DFARS 252.225-7014
Compliant Hardware Available



- A. [Pushbutton](#) style front-of-panel mounted circuit breaker boot
- B. [Toggle-style](#) front-of-panel mounted circuit breaker boot
- C. [Pushbutton](#) style front-of-panel mounted circuit breaker boot
- D. [Lever style back-of-panel](#) mounted circuit breaker boot
- E. [Lever style front-of-panel](#) mounted sealing boots
- F. [Lever style back-of-panel](#) mounted circuit breaker boot
- G. [Rocker style](#) front-of-panel mounted circuit breaker boots

Look for next week's newsletter to learn more about APM Hexseal's sealing solutions!

[Download Catalogs](#)

APM Hexseal Corporation newsletter@apmhexseal.com | <http://www.apmhexseal.com>