




SINCE 1947
APM HEXSEAL®
COMPLETE SEALING SOLUTIONS, TOTAL CUSTOMER SATISFACTION



Edition 258, April 2015 | [Self-Sealing Fasteners](#) | [Sealing Boots Division](#)



[Request Boot Samples](#)



[Request Fasteners](#)



[Watch All Videos](#)



DID YOU KNOW?

APM HEXSEAL, HELPING SEAL UP THE BORDERS?

APM Hexseal is playing a major role in Homeland Security at our borders. APM Hexseal's Self-Sealing Fasteners are being used in vehicle identification equipment, specifically in:

- License Plate Readers
- Container Code Readers
- Commercial Vehicle Enforcement with USDOT number readers



The license plate readers, for example, can scan 1,800 plates per minute while simultaneously running them through crime databases. The necessity to

provide precision accuracy and reliable performance is key to ensuring our borders are safe and protected.

To keep the devices working properly and safe from dust, water, vibration and any other contaminants that affect performance, Homeland Security uses the APM Hexseal self-sealing fastener line of products. APM's patented, pre-assembled self-sealing screws and fasteners provide both



[Download Literature](#)



Toll Free:
800-498-9034

Email:
info@apmhexseal.com



fastening and sealing integrity in a single unit. Unique design features a resilient silicone O-ring held captive in a precision asymmetrical groove under the head. Vibration-resistant and reusable screws, bolts and nuts withstand internal and external pressures/vacuum to 20,000+ psi. When vibration is an issue, APM offers a full line of pre-applied self-locking techniques (pellets, strips, patches).

SEELOC® Washers are self-sealing, vibration-resistant washers, each having a silicone rubber section, molded and bonded to a stainless steel formed washer ideal for large or slotted holes.



Features and Benefits:

- Positive sealing under vacuum or pressure
- Install like a conventional fastener
- Reusable & compatible with all surface finishes
- Metal-to-metal contact assures fastening integrity
- Optional O-ring seal materials - silicone rubber, BUNA-N, *Viton®, others ([O-Ring materials & characteristics selection chart](#))
- Uniform, high-strength design
- UL Recognized
- Optional thread locking add-ons
- Optional tamper-resistant heads
- No chemicals to apply, no worker respiratory or environmental disposal issues

Read more about [self-sealing fastener](#) line.

RoHS
Compliant
DFARS 252.225-7014
Compliant Hardware Available



APM HEXSEAL OFFERS SEMINAR ON PROTECTION OF CONTROL SYSTEMS AT NEW-TECH EXHIBITION IN ISRAEL



Register for a unique seminar May 20th, at the New-Tech Exhibition on protecting your controls & machinery from environment attack

Register for Seminar Here

APM Hexseal will be conducting a seminar at the New-Tech exhibition in Tel-Aviv, Israel, on May 19-20, 2015, with a focus on how to seal control devices from environmental attack.

Topics covered will include how to select the right protection; is a "sealed switch" the answer to my problems?; is there a universal boot for all conditions?; can I color code?

APM Hexseal's full range of sealing hardware will also be covered, for sealing control enclosures and for sealing process equipment.

Space is limited, so click on this article today! (if you are interested in a sealing expert visiting your company to conduct a seminar, just drop a quick email to johnd@apmhexseal.com)

Look for next week's newsletter to learn more about APM Hexseal's sealing solutions!

[Download Catalogs](#)

APM Hexseal Corporation newsletter@apmhexseal.com | <http://www.apmhexseal.com>

Copyright © 2015. All Rights Reserved.