

Document #: APM-RG-ROHS-1020-C

Date: August 18, 2021

44 Honeck Street Englewood, NJ 07631 USA Phone: (201) 569-5700 Fax: (201) 569-4106 info@apmhexseal.com www.apmhexseal.com

Declaration of Conformity to RoHS3, Directive (EU) 2015/863 for Rotary Boots

APM HEXSEAL is committed to conducting its business in an environmentally, socially, and ethically responsible manner, complying with all applicable laws and regulations of those countries where we do business. Part of this commitment includes the safe use and identification of materials and/or substances in excess of the allowable thresholds per the applicable requirements of the EU Directive 2015/863, also known as RoHS3 (Restriction of Hazardous Substances) in electrical and electronic equipment.

| Material/Substance | Threshold Level |
|---------------------------------------|-----------------|
| Cadmium | 0.01% |
| Hexavalent Chromium | 0.1% |
| Lead • | 0.1% |
| Mercury | 0.1% |
| Polybrominated Biphenyls (PBBs) | 0.1% |
| Polybrominated Diphenyl Ethers (PBDE) | 0.1% |
| Bis(2-Ethylhexyl) Phthalate (DEHP) | 0.1% |
| Benzyl Butyl Phthalate (BBP) | 0.1% |
| Dibutyl Phthalate (DBP) | 0.1% |
| Diisobutyl Phthalate (DIBP) | 0.1% |

All threshold levels represent maximum concentration by weight in homogeneous materials.

This document certifies that, to the best of our knowledge, based on the published specifications and information provided by our suppliers, the APM Hexseal products shown in the list below do not contain the following materials and/or substances in excess of the allowable threshold levels, with the exception of Lead, which falls under **Exemption 6(c)** outlined in **Annex III** to the above Directive.

| Series | Series |
|--|--|
| Type 1312/XX* | Type N9040X1/8* |
| Type 1332/XX* & C1332/XX* | Type N9042X1/8* |
| Type 9034* | Type N9060X1/4* |
| Type N9030X1/8*, N9030X3/16* & N9030X1/4* | Type N9063X1/4* & N9063X3/8* |
| Type NLK9030X1/8*, NLK9030X1/4* & NLK9040X1/8* | Type N9065X3/8*, N9065X1/2* & N9065X3/4* |
| Type N9033X1/4* | Type N9066X5/8* |

The presence of "XX" in a series number denotes additional digits (1 to 99).

* NOTE: Series numbers may be followed by various suffix codes.

Signed for on behalf of

APM Hexseal Corporation

Julian Belizaire, Director of Quality



[•] NOTE: Lead as an alloying element is allowed as a percentage of weight: Steel 0.35%, Aluminum 0.40%, and Copper Alloy 4.0%.