



44 Honeck Street
 Englewood, NJ 07631 USA
 Phone: (201) 569-5700
 Fax: (201) 569-4106
 info@apmhhexseal.com
 www.apmhhexseal.com

Document #: **APM-RG-ROHS-1100-B**

Declaration of Conformity to RoHS 3, Directive (EU) 2015/863

Date of Issue: September 25th, 2020

Parts in Question: **Rubber O-Rings**

This document certifies that, to the best of our knowledge, based on the published specifications and information provided by our suppliers, the APM Hexseal parts shown in the list below are fully RoHS compliant, in accordance with RoHS 3, Directive (EU) 2015/863 on the Restriction of Hazardous Substances (RoHS) in electrical and electronic equipment.

Series	Description
XXX S YYY	Silicone O-Ring
XXX L YYY	FluoroSilicone O-Ring
XXX V YYY	Viton® A O-Ring
XXX N YYY	Buna-N O-Ring
XXX E YYY	Neoprene (EPR) O-Ring
XXX F YYY	Ethylene Propylene (EPDM) O-Ring

The presence of "XXX" in each series denotes a numeric value for the inside diameter of the O-Ring.
 The presence of "YYY" in each series denotes a numeric value for the cross section of the O-Ring.


As such, we hereby declare that that the products listed above do not contain the following materials and/or substances in excess of the allowable threshold levels:

Material/Substance	Threshold Level
Cadmium	0.01%
Hexavalent Chromium	0.1%
Lead •	0.1%
Mercury	0.1%
Polybrominated Biphenyls (PBBs)	0.1%
Polybrominated Diphenyl Ethers (PBDE)	0.1%
Bis(2-Ethylhexyl) Phthalate (DEHP)	0.1%
Benzyl Butyl Phthalate (BBP)	0.1%
Dibutyl Phthalate (DBP)	0.1%
Diisobutyl Phthalate (DIBP)	0.1%

All threshold levels represent maximum concentration by weight in homogeneous materials.

- NOTE: Lead as an alloying element is allowed as a percentage of weight: Steel 0.35%, Aluminum 0.40%, and Copper Alloy 4.0%.

Signed for on behalf of
APM Hexseal Corporation


 Frank Konchalski Jr, Director of Quality

