# UL Product iQ<sup>®</sup>



# NITW8.E153680 - Industrial Control Panels Certified for Canada - Component

Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <u>https://www.ul.com/about/locations</u>.

## Industrial Control Panels Certified for Canada - Component

## APM HEXSEAL CORP

44 Honeck St Englewood, NJ 07631-4134 United States

Marking: Company name model designation, and the Recognized Component Mark for Canada c W

Adaptors, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): 2500/1/\*

Circuit Breaker Boots, "Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K", Model(s): (C)1113/40 (#), (C)1113/42 (#), (C)1113/43 (#), HE-1073 (#), HE-1075 (#), HE-1076 (#), HE-1077 (#), HE-1078 (#)

**Circuit Breaker Boots, Frame Mounted, "1, 2, 3, 4, 4X, 5, 6P, 12, 12K",** Model(s): 1077 (#), 1113/0 thru 1113/49 (#), 1113/60, C1113/0 thru C1113/49 (#), CT1015 (#), CT1020 (#), CT1050 (#), HE-1015 (#), HE-1020 (#), HE-1035 (#), HE-1040 (#), HE-1050 (#), HE-1070 (#), HE-1080 (#)

Color filters, Model(s): Adjust A-Seal sizes 4 thru 3/4

### Color Filters, "Adjust A-Seal sizes 4 thru 3/4", Model(s): 1813/\*

**Full Pushbutton Switch Boots, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13",** Model(s): 1221/\* (#), 1231/\* (#), 1238/1SS (#), 1238/5SS (#), 3070 (#), 3073 (#), 3075 (#), 3077 (#), C1221/\* (#), C1231/\* (c)(#), N3030 (#), N3030 RFI (#), N3030-2513 (#), N3040R (#), N3040R RFI (#), N50400 (#), N5040G (#), N5040G RFI (#), N5040R RFI (#), NC3030 (#), NC3030 RFI (#), NC3030H (#), NC3030H RFI (#), NH3030 (#), NH3030 RFI (#), NH3030 RFI (#), NH3030S RFI (#)

### Full toggle switch boots, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): C1131/\* (#)

**Full Toggle Switch Boots, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13",** Model(s): 1131/ (a)(#), C1131/, IN1030 (#), IN1030 1/2-32 (#), N1002, N1030 (#), N1030 1/2-32 (#), N1030A (where "A" is for armored) (#), N5030-L (#), N5030-L RFI (#), N5030-R (#), N5030-R RFI (#), N5030-S (#), N5030-S RFI (#)

Grounding & Bonding Contact Assembly, "Sure Bond Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K", Model(s): Cat. No. 17101

Half Pushbutton Switch Boots (Actuator Protrudes), "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): N3030B\*,

Half Pushbutton Switch Boots (Actuator Protrudes):, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): NH3030B\* (where \*= up to 10 alpha-numeric characters may be added to indicate rubber, EMI/RFI option, color and thread size)

Half Toggle Switch Boots, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): 1132/\* (b)(#), C1132/\* (#), N1030B (#), N10

E153680

Indicator and Illuminated Switch Seals, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): 4080, 4082, 4085, 4086, 4088

Rocker switch boots, "Types 1, 2, 3R, 5, 12, 12K, 13", Model(s): C1111/7

Rocker Switch Boots, "Types 1, 2, 3R, 5, 12, 12K, 13", Model(s): 1213/50 thru 1213/99, C1113/50 thru C1113/99 (d)

**Rotary Shaft Seals**, **"Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13"**, Model(s): 1332\* (#), C1332/\* (#), N9030 x 1/4 (#), N9030 x 1/4 RFI (#), N9030 x 1/8 RFI (#), N9030 x 1/8 RFI (#), N9030 x 3/16 (#), N9033 x 1/4 (#), N9033 x 1/4 RFI (#), N9040 x 1/8 (#), N9040 x 1/8 RFI (#), N9042 x 1/8 (#), N9042 x 1/8 RFI (#), N9060 x 1/4 RFI (#), N9060 x 1/4 RFI (#), N9063 x 1/4 (#), N9063 x 1/4 RFI (#), N9065 x 3/8 (#), N9065 x 3/8 RFI (#), NLK9030 x 1/4 RFI (#), NLK9030 x 1/4 RFI (#), NLK9040 x 1/8 (#)

Sealed Switch Panel Bushing Seals, "Types 1, 2, 3, 4, 4X, 5, 6, 12, 12K", Model(s): 60064, 60225

Sealing washers, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K", Model(s): 75031, 75041, 75042, 75051, 75052, 75062, 75082, 75083, 75101, 75102, 75103, 75107, 75108, 75122, 75123, 75142, 75143, 75162, 75163, 75312, 75392, 75472, 75601, 75602, 75603, 75801, 75802, 75803

Sealing Washers, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K", Model(s): 75032

Self Sealing Screws, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Type R(M) Philips, Type S(M) Slotted, Type SFS Flathead Slotted, Type SL(M) Philips Oversized Head, Type SM Slotted

Self Sealing Screws, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Type SFR(M) Phillips Flathead/Countersunk

Self-Sealing Hexagon Head Bolts, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Type AN(M) (Note: Thread sizes: 1/2 inch "Imperial" and M20 "Metric" maximum thread sizes)

Self-Sealing Hexagon Head Bolts, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Type SB(M) (Note: Thread sizes: 1/2 inch "Imperial" and M20 "Metric" maximum thread sizes)

Self-Sealing Hexagon Head Bolts, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Type ST(M) (Note: Thread sizes: 1/2 inch "Imperial" and M20 "Metric" maximum thread sizes)

Self-Sealing Nuts, "Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13", Model(s): Model Number starts with thread size, followed by AJ6

Switch Boot, "Types 4X and 12", Model(s): 1111-13

(#) - All catalog numbers may be followed by up to 10 alpha-numeric characters or symbols. Catalog number sequence except 1077, 81255, 60064, 60225 and 75000 may have an added suffix denoting the boot thread size (e.g.  $\frac{1}{2}$ -32 or  $\frac{1}{4}$ )

(a) - Product series 50154 is similar in construction as product series 1131/\* and was created for marketing purposes only.

(b) - Product series 81255 is similar in construction as product series 1132/\* and was created for marketing purposes only.

(c) - Product series 3070, 3073, 3075, 3077 are similar in construction as product series 1232/\* and was created for marketing purposes only.

(d) - Product series C1111, C1213, 1111/, 1113/ are similar in construction as product series C1113/ and was created for marketing purposes only.

\* - May be followed by one or two digits.

Last Updated on 2022-04-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."