

CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

Issued to: APM HEXSEAL CORP
44 Honeck St Englewood, NJ 07631-4134
United States

**This is to certify that
representative samples of** NITW2 - Industrial Control Panels - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.

Standard(s) for Safety: UL 508A, 3rd Ed., Issue Date: 2018-04-24, Revision Date: 2021-08-05

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/40 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/42 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/43 (#)	Circuit Breaker Boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1077 (#)	Circuit Breaker Boots, Frame Mounted
Types 4X and 12, 1111-13	Switch Boot
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1113/0 thru 1113/49 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1113/60	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1131/ (a) (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1132/* (b) (#)	Half Toggle Switch Boots
Types 1, 2, 3R, 5, 12, 12K, 13, 1213/50 thru 1213/99	Rocker Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1221/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1231/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1238/1SS (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1238/5SS (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1332* (#)	Rotary Shaft Seals
Adjust A-Seal sizes 4 thru 3/4, 1813/*	Color Filters
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 2500/1/*	Adaptors
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3070 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3073 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3075 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3077 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4080	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4082	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4085	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4086	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4088	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 12, 12K, 60064	Sealed Switch Panel Bushing Seals
Types 1, 2, 3, 4, 4X, 5, 6, 12, 12K, 60225	Sealed Switch Panel Bushing Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75031	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75032	Sealing Washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75041	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75042	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75051	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75052	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75062	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75082	Sealing washers

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
 Report Reference E153680-19940519
 Date 8-Apr-2022

Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75083	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75101	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75102	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75103	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75107	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75108	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75122	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75123	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75142	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75143	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75162	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75163	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75312	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75392	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75472	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75601	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75602	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75603	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75801	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75802	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75803	Sealing washers
Adjust A-Seal sizes 4 thru 3/4	Color filters
Types 1, 2, 3R, 5, 12, 12K, 13, C1111/7	Rocker switch boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, C1113/0 thru C1113/49 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3R, 5, 12, 12K, 13, C1113/50 thru C1113/99 (d)	Rocker Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1131/	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1131/* (#)	Full toggle switch boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1132/* (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1221/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1231/* (c)(#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1332/* (#)	Rotary Shaft Seals
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1015 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1020 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1050 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1015 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1020 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1035 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1040 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1050 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1070 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1073 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1075 (#)	Circuit Breaker Boots

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
 Report Reference E153680-19940519
 Date 8-Apr-2022

Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1076 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1077 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1078 (#)	Circuit Breaker Boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1080 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, IN1030 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, IN1030 1/2-32 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Model Number starts with thread size, followed by AJ6	Self-Sealing Nuts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1002	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030 1/2-32 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030A (where "A" is for armored) (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030B (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030B 1/2-32 (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030-2513 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030B*,	Half Pushbutton Switch Boots (Actuator Protrudes)
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3040R (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3040R RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-L (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-L RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-R (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-R RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-S (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-S RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5032B (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040G (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040G RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040R (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040R RFI (#)	Full Pushbutton Switch Boots

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
 Report Reference E153680-19940519
 Date 8-Apr-2022

Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 3/16 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9033 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9033 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9040 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9040 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9042 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9042 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9060 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9060 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9063 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9063 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9065 x 3/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9065 x 3/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030H (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030H RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030B*, (where *= up to 10 alpha-numeric characters may be	Half Pushbutton Switch Boots (Actuator Protrudes):

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-US-L153680-21-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

added to indicate rubber, EMI/RFI option, color and thread size)	
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030S (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030S RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9040 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type AN(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type R(M) Phillips	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type S(M) Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SB(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SFR(M) Phillips Flathead/Countersunk	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SFS Flathead Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SL(M) Phillips Oversized Head	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SM Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type ST(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

Issued to: APM HEXSEAL CORP
44 Honeck St Englewood, NJ 07631-4134
United States

This is to certify that representative samples of NITW8 - Industrial Control Panels Certified for Canada - Component
See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the component requirements in the Standard(s) indicated on this Certificate. UL Recognized components are incomplete in certain constructional features or restricted in performance capabilities and are intended for installation in complete equipment submitted for investigation to UL LLC.


Standard(s) for Safety: CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information

This *Certificate of Compliance* does not provide authorization to apply the UL Recognized Component Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Recognized Component Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Recognized Component Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/40 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/42 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, (C)1113/43 (#)	Circuit Breaker Boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1077 (#)	Circuit Breaker Boots, Frame Mounted
Types 4X and 12, 1111-13	Switch Boot
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1113/0 thru 1113/49 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, 1113/60	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1131/ (a) (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1132/* (b) (#)	Half Toggle Switch Boots
Types 1, 2, 3R, 5, 12, 12K, 13, 1213/50 thru 1213/99	Rocker Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1221/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1231/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1238/1SS (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1238/5SS (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 1332* (#)	Rotary Shaft Seals
Adjust A-Seal sizes 4 thru 3/4, 1813/*	Color Filters
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 2500/1/*	Adaptors
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3070 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3073 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3075 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 3077 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4080	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4082	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4085	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4086	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, 4088	Indicator and Illuminated Switch Seals
Types 1, 2, 3, 4, 4X, 5, 6, 12, 12K, 60064	Sealed Switch Panel Bushing Seals
Types 1, 2, 3, 4, 4X, 5, 6, 12, 12K, 60225	Sealed Switch Panel Bushing Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75031	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75032	Sealing Washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75041	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75042	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75051	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75052	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75062	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75082	Sealing washers

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75083	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75101	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75102	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75103	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75107	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75108	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75122	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75123	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75142	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75143	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75162	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75163	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75312	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75392	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75472	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75601	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75602	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75603	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75801	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75802	Sealing washers
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 75803	Sealing washers
Adjust A-Seal sizes 4 thru 3/4	Color filters
Types 1, 2, 3R, 5, 12, 12K, 13, C1111/7	Rocker switch boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, C1113/0 thru C1113/49 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3R, 5, 12, 12K, 13, C1113/50 thru C1113/99 (d)	Rocker Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1131/	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1131/* (#)	Full toggle switch boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1132/* (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1221/* (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1231/* (c)(#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, C1332/* (#)	Rotary Shaft Seals
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1015 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1020 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, CT1050 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1015 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1020 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1035 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1040 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1050 (#)	Circuit Breaker Boots, Frame Mounted
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1070 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1073 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1075 (#)	Circuit Breaker Boots

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
 Report Reference E153680-19940519
 Date 8-Apr-2022

Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1076 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1077 (#)	Circuit Breaker Boots
Types 1, 2, 3, 3R, 3S, 4, 4X, 5, 6, 12, 12K, HE-1078 (#)	Circuit Breaker Boots
1, 2, 3, 4, 4X, 5, 6P, 12, 12K, HE-1080 (#)	Circuit Breaker Boots, Frame Mounted
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, IN1030 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, IN1030 1/2-32 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Model Number starts with thread size, followed by AJ6	Self-Sealing Nuts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1002	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030 1/2-32 (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030A (where "A" is for armored) (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030B (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N1030B 1/2-32 (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030-2513 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3030B*,	Half Pushbutton Switch Boots (Actuator Protrudes)
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3040R (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N3040R RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-L (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-L RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-R (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-R RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-S (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5030-S RFI (#)	Full Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5032B (#)	Half Toggle Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040G (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040G RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040R (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N5040R RFI (#)	Full Pushbutton Switch Boots

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
 Report Reference E153680-19940519
 Date 8-Apr-2022

Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9030 x 3/16 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9033 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9033 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9040 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9040 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9042 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9042 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9060 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9060 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9063 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9063 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9065 x 3/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, N9065 x 3/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030H (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NC3030H RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030 (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030 RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030B*, (where *= up to 10 alpha-numeric characters may be	Half Pushbutton Switch Boots (Actuator Protrudes):

B. Mahlen

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

CERTIFICATE OF COMPLIANCE

Certificate Number UL-CA-L153680-41-91504991-3
Report Reference E153680-19940519
Date 8-Apr-2022

added to indicate rubber, EMI/RFI option, color and thread size)	
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030S (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NH3030S RFI (#)	Full Pushbutton Switch Boots
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/4 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/4 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9030 x 1/8 RFI (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, NLK9040 x 1/8 (#)	Rotary Shaft Seals
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type AN(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type R(M) Phillips	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type S(M) Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SB(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SFR(M) Phillips Flathead/Countersunk	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SFS Flathead Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SL(M) Phillips Oversized Head	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type SM Slotted	Self Sealing Screws
Types 1, 2, 3, 4, 4X, 5, 6, 6P, 12, 12K, 13, Type ST(M) (Note: Thread sizes: ½ inch "Imperial" and M20 "Metric" maximum thread sizes)	Self-Sealing Hexagon Head Bolts

B. Mahrenholz

Bruce Mahrenholz, Director North American Certification Program

UL LLC



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>